

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 800 | (entry out application) ADJ table SAME (search in system) ADJ table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 13:23 |
| L2 | 459 | L1 AND @ad<"19991126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:37 |
| L3 | 4545 | LDAP "Lightweight Directory Access Protocol" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 09:35 |
| L4 | 290 | L3 AND "X.500" WITH directory ADJ service\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 09:35 |
| L5 | 62 | L4 AND normali\$8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 09:35 |
| L6 | 39 | L5 AND @ad< "20001124" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 09:35 |
| L7 | 4 | L2 AND L6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:37 |
| L8 | 109 | (entry) ADJ table SAME (search) ADJ table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:36 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L9 | 55 | L8 AND @ad<"19991126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:37 |
| L10 | 4 | L9 AND L4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:42 |
| L11 | 50 | L9 NOT Harvey.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 10:43 |
| L12 | 12 | (application) ADJ table SAME (system) ADJ table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 13:25 |
| L16 | 2 | "6085188".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 16:06 |
| S1 | 3411 | LDAP "Lightweight Directory Access Protocol" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 13:45 |
| S2 | 239 | S1 AND "X.500" WITH directory ADJ service\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 13:45 |
| S3 | 53 | S2 AND normali\$8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 14:00 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S4 | 39 | S3 AND @ad< "20001124" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 18:11 |
| S5 | 1405 | database\$3 SAME directory ADJ service\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 13:57 |
| S6 | 579 | S5 AND @ad<"19991126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 13:58 |
| S7 | 39 | S3 AND @ad<"19991126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/08 09:34 |
| S8 | 2 | sybase AND (in NEAR table) SAME (out NEAR table) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 19:42 |
| S9 | 11 | sybase AND (in NEAR table) AND (out NEAR table) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 19:42 |
| S11 | 8 | in\$1table SAME out\$1table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 17:05 |
| S13 | 0 | 09/721639 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 16:15 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S15 | 10 | in\$1table AND out\$1table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 17:08 |
| S16 | 8 | in\$1table SAME out\$1table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 17:06 |
| S17 | 2 | S15 NOT S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 17:10 |
| S18 | 10 | (in\$1table system\$1table) AND (out\$1table application\$1table) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 17:21 |
| S22 | 71 | database\$2 SAME ((application entry) NEAR table\$2) SAME ((system search) NEAR table\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 18:00 |
| S23 | 21 | S22 AND @ad< "19991126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/07 18:12 |

▼ Search

["in-table out-tab"] [Go](#)

☐ Code Fragments only
[Advanced Search](#)

▼ Browse By Category

Matching Categories

[-] Databases (12)

[-] Oracle (5)

Access (2)

SQL (2)

More...

[-] Programming (2)

SQL (2)

PL/I (1)

[-] Security (1)

[-] Databases (1)

View All Titles

[-] Applied Sciences

[-] Artificial Intelligence

[-] Business

[-] Certification

[-] Computer Science

[-] Databases

[-] Desktop Applications

[-] Desktop Publishing

[-] E-Business

[-] E-Commerce

[-] Enterprise Computing

[-] Graphics

[-] Hardware

[-] Human-Computer Interaction

[-] Internet/Online

[-] IT Management

[-] Markup Languages

[-] Multimedia

[-] Networking

[-] Operating Systems

[-] Programming

[-] Security

[-] Software Engineering

▼ Find a Specific Book

- Author
- ISBN
- Title
- Publisher

Search Results






Found 1276 section(s) in 12 book(s) matching your search for ["in-table out-tab"] AND (PUBDATE <= 19981231) AND (XCATID = itbooks.dbase)*.

[View by Section](#)

[View by Book](#)

[Hide bookcovers](#)

Results: 11

| | Title | Rank | Relevant Sections | Publisher | PU |
|----|---|------|---|-------------------|----|
| 1. |  10 Minute Guide to Access 97 Slots: 0.5 Table of Contents | ★★★ | 1. Creating a Table with the Table Wizard 2. Creating a Table Without a Wizard 3. Entering Data Into a Table More... | Que | 1 |
| 2. |  Alison Balter's Mastering Access 97 Development, Second Edition By Alison Balter Slots: 1.0 Table of Contents | ★★★ | 1. Table Structures 2. What Every Developer Needs to Know About Tables 3. Summary More... | Sams | 1 |
| 3. |  Database Design for Mere Mortals By Michael J. Hernandez Slots: 1.0 Table of Contents | ★★★ | 1. Diagram Symbols 2. Relationship-related Terms 3. Summary More... | Addison Wesley | 1 |
| 4. |  Advanced Oracle PL/SQL Programming with Packages By Steven Feuerstein Slots: 1.0 Table of Contents | ★★★ | 1. Using PLVtab-Based PL/SQL Table Types 2. PLVtab: Easy Access to PL/SQL Tables 3. PLVtab: Table Interface More... | O'Reilly | 1 |
| 5. |  Informix DBA Survival Guide, Second Edition By Joe Lumbley Slots: 1.0 Table of Contents | ★★★ | 1. Tables 2. Supported SMI Tables 3. Convert Table Numbers to Table Names More... | Prentice Hall PTR | 1 |

Results: 11

[About Safari](#) | [Terms of Service](#) | [Privacy Policy](#) | [Contact Us](#) | [Help](#) | [Submit a Problem](#)

Copyright © 2005 Safari Books Online. All rights reserved.

1003 Gravenstein Highway North
Sebastopol, CA 95472
800-775-7330



Web

Results 1 - 10 of about 251 for **sybase in-table out-table**. (0.86 seconds)**SYBASE ADDICT - ASE ASA ASIQ Transact-SQL Serveur de Replication**

... Each of the filenames infont, outfont, **intable**, and **outtable** may be replaced by a single dash (-), in which case standard input or standard output is used. ...

sybase-addict.com/modules.php?name=Man&command=psfxtable - 14k - Supplemental Result - [Cached](#) - [Similar pages](#)

Microsoft Access: Hi How to update all fields in a table

Sybase Btrieve FileMaker DB Reporting GIS & GPS ERP PostgreSQL ... UpdateTable InTable, OutTable, AutoNumberField MsgBox "Terminated OK" End Sub </Code> ...

www.experts-exchange.com/ Databases/MS_Access/Q_20153464.html - 66k - Supplemental Result - [Cached](#) - [Similar pages](#)

Experts Exchange - All Sybase Questions Page 8

I have written a small utility in Access that will take values in **Table A** (Local Table) and Append a Linked **Sybase** Table with the information. ...

www.experts-exchange.com/ Databases/Sybase/All_Questions_8.html - 49k - [Cached](#) - [Similar pages](#)

[[More results from www.experts-exchange.com](#)]

dBforums - bcp in sybase need help!

bcp db1..table out table.bcp -n -UUsername -Ppassword -Sserver bcp db2..table in table.bcp -n -UUsername -Ppassword -Sserver ...

dbforums.com/t513158.html - 69k - Supplemental Result - [Cached](#) - [Similar pages](#)

Mainframeforum - bcp in sybase need help!

bcp db1..table out table.bcp -N -UUsername -Ppassword -Sserver bcp db2..table in table.bcp -N -UUsername -Ppassword -Sserver ...

www.mainframeforum.com/showthread.php?threadid=447542 - 28k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] Sybase MPP™ Administration Guide for Sun Ultra Enterprise PDB ...

File Format: PDF/Adobe Acrobat

This publication pertains to **Sybase** MPP Release 11.0.x of the **Sybase** database ... Transact-SQL, and VQL are registered Trademarks of **Sybase**, Inc. Adaptable ...

download.sybase.com/pdfdocs/mpg1100e/mp3adsun.pdf - Supplemental Result - [Similar pages](#)

答疑网 计算机编程/系统/硬件数学VB Excel ASP C C++ ... - [[Translate this page](#)]

... 表中，再从 **INTABLE** 中把数据提出银行所要的格式文本 ... 最后从**OUTTABLE** 表中提出公司所需要的回盘格式文件 ... Oracle、**SYBASE**、DB2 ...

www.dayi.net/Questions.asp?topic=Access&personal=&checkUser=&pageN=8 - 18k - Supplemental Result - [Cached](#) - [Similar pages](#)

Patent 5708828: System for converting data from input data ...

the data conversion System of the present invention is preferably configured to operate with A variety of platforms, including Oracle, **Sybase** and other ...

www.freepatentsonline.com/5708828.html - Supplemental Result - [Similar pages](#)

Can this be done with a join (or otherwise)?

... I would like the result table to look like this: **intable outtable** inamount ... **Sybase**, --- **Sybase** ODBC, -- Sqlanywhere, --- SqlAnywhere on Linux ...

www.webservertalk.com/message365738.html - 53k - [Cached](#) - [Similar pages](#)

DevX.com Forums - SMS gateway

Simplify Enterprise database development with **Sybase** WorkSpace, Sign-Up: Register to

become a **Sybase** WorkSpace Early Adopter and Win a Sony PSP, Whitepaper ...
forums.devx.com/showthread.php?p=405122 - 69k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

New! Crack the Code: [Play the Da Vinci Code Quest on Google.](#)

sybase in-table out-table

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google